



# Etac Swift Mobile Tilt

With a unique tilt in space function.

Etac Swift Mobile Tilt is available in two models. Both have manually operated tilt functions but with different weight capacity. They all have the same characteristic design and functions as Etac Swift Mobile, page 28.

## Tilting operated from the side

Etac Swift Mobile Tilt has the unique function which enables tilt manoeuvring from the side. This gives the best conditions for an ergonomically correct work position for the carer. It also enables eye contact and communication with the care recipient during the tilting process.

## Assisted movement back to an upright position

The gas pistons work to facilitate bringing the seat into an upright position. When tilting, the user's body weight will act as counterweight and make the movement smooth. This reduces the risk of carers suffering work related injuries. The seat height can be set in various fixed positions and it's done without using tools.

A tilted position increases stability and facilitates in care situations.



### Etac Swift Mobile Tilt

Swift Mobile Tilt	Item no.
Swift Mobile Tilt with bucket holder	80209410
Swift Mobile Tilt with pan holder	80209411
Swift Mobile Tilt with pan holder	80209412

Standard: head support, back support, arm supports, seat, foot supports, heels traps, and 4 lockable castors.

#### Weight

19.7 kg (43.4 lbs)  
With power unit: 23.6 kg (52 lbs)

#### Dimensions

Adjustable tilt in space: 0° to -35° can be set to +5° to -30°

### Materials

Gas pistons: lift capacity 130N  
Other material: see "Etac Swift Mobile shower commode" on page 28



Clean the product with a solvent-free cleaning agent (pH level 5-9), or with a 70% disinfectant solution. Can be decontaminated at max 85°C / 185°F if so required.

## Features



### Unique tilt bar

The bar for the tilt mechanism is easy to reach from either side.



### Head Support

The adjustability ensures a comfortable and restful support.



### Close contact during the tilting process

The unique tilt function enables an ergonomically correct working position for the carer who is able to maintain eye contact with the care recipient.


## Accessories

See our wide range of accessories on page 33-35.






## Accessories for all Swift Mobile models



### Head Support

80209447

Complete with attachment. Adjustable in height, depth and sideways. Standard on tilt models. Material: polyurethane, stainless steel and zinc. Cleaning max. 85° C (185°F) or with alcohol wipe.



### Arm supports lock

Pair: 80209445

Locks the arm supports in down-folded position. Material: Stainless steel.



### Arm supports widening kit

Pair: 80209441

Increases the space between the arm supports by 6 cm (2½"). Standard for Swift Mobile/Tilt 160.



### Soft Back Pad

80209448

Warm, soft and water repellent. Material: Polyethylene. Cleaning max. 60° C (140°F) or with alcohol wipe



### Hemi Arm Support

Pair: 80209035

Fits both left and right side. Material: Cellular polyethylene, aluminium, stainless steel, polystyrene.



### Seat cover

80209434

When a complete seat is required. Material: Foamed polyurethane. max. 85° C (185°F) or with alcohol wipe



## Accessories for all Swift Mobile models



### Soft Comfort seat

Opening width 15 cm (6"): 80209507  
Opening width 18 cm (7"): 80209506  
Material: Polyurethane  
Cleaning at max 85°C (185°F) or with alcohol wipe.



### Soft cushion with oval opening

80209067  
Material: Polyether/Sealed coated cover



### Cushion, Protect

80209245  
Air-inflated ROHO cushion with excellent pressure distribution properties. Adjustable air pressure. Recess width: 21 cm (8¼").  
Material: Neoprene  
Cleaning max: 60° C (140 °F)



### Chest harness strap

80209442  
Adjustable in length. Attach to back support. Always use together with positioning belt.  
Material: Polyester



### Comfort Cover

80209455  
A soft back support with integrated arm support pads.  
Material: polyethylene.  
Cleaning max. 60° C (140 °F) or with alcohol wipe.



### Cross bar

Length: 60.5 cm (24"): 80303034  
Length: 66.5 cm (26"): 80209452  
For safety and additional support.  
Material: Aluminium, polypropene and cellular polyethylene. Notice: 66.5 cm is for Swift Mobile 160 and Swift Mobile Tilt 160.



### Comfort Kit

80209457  
Includes both Comfort Seat and Comfort Cover.  
Cleaning max. 60° C (140 °F) or with alcohol wipe.




### Positioning belt

80209440  
Adjustable in length. Attachment with velcro straps.  
Material: Polyester



### Comfort arm pads – pair

80209508  
The pads provide a soft support for the arms.  
Material: polyethene  
Cleaning max. 60° C (140 °F) or with alcohol wipe.



### Splash Guard

80209430  
Fits into the recess opening. To be placed when user sits in the chair.  
Material: Polyurethane



### Side support

80209509  
Adjustable in width.  
Material: Polyester fabric, Velcro, polyethylene.  
Cleaning at max 60°C (140°F)



### Attachment for pan/bucket holder

Set: 80209435  
To be mounted underneath the seat. Material: Polyamide.



### Soft cushion with standard opening

80209065  
Material: Polyether/Sealed coated cover



### Pan holder

80209257  
Fits both Pan and regular hospital pans with a thin rim. Attachment required.  
Material: Polyamide.

## Accessories for all Swift Mobile models



### Pan

80209254  
Pan, incl lid with handle  
80209255  
Material: Polypropylene.



### Leg support

1 piece: 80209446  
Leg support with foldable and angle adjustable footplate. No heel strap included.



### Bucket holder

80209258  
Fits bucket with a thick rim. Attachment required.  
Material: Polypropene



### Heel straps

Pair: 80209432  
Adjustable in length.  
Material: Polyester



### Bucket with handle and lid

80302026  
Material: Polypropylene



### Anti tippers, pair

Excluding attachment for Swift Mobile 24":  
80209438  
Including attachment (for Swift Mobile):  
80209439  
(for Swift Mobile Tilt):80209459  
Material: Aluminium



### Attachment for low mounting of pan/bucket

80209259  
Fitted to the pan/bucket holder.  
Material: Polypropene



### Tilter

80209449  
For easy transfer over thresholds and other obstacles



### Amputee leg support

80209510  
Adjustable height, length and angle. Fits both left and right side.



### Rear wheel kit

80209436  
24" rear wheels with solid tires. With built in attachment for anti tip.  
Material: Polyamide, stainless steel.  
Incl. attachment and brakes. Do not fit Swift Mobile 160 or Swift Mobile Tilt.



### Elevating Leg- and calf support

80209437  
Fits both left and right side.  
Material: ABS



### Foot support for leg- and calf support

80209443  
Fits both left and right side. Foot support adjustable height in 6 positions.  
Materials: Stainless steel, polypropylene.